RECEIVED CENTRAL FAX CENTER

AMENDMENTS TO THE CLAIMS

AUG 2 6 2008

This listing of claims will replace all prior versions of claims in the application:

Listing of Claims:

- 1. (Currently amended) A method for repairing an intervertebral disc of a patient using a cultured connective tissue construct, comprising:
 - (a) forming at least one opening in the annulus fibrosis of the intervertebral disc;
 - (b) removing at least a portion of the nucleus pulposus through the opening in the annulus fibrosis;
 - (c) inserting at least a first cultured connective tissue construct into the opening of the annulus fibrosis; and
 - (d) grafting at least a second cultured connective tissue construct to close the opening in the annulus fibrosis, wherein the cultured connective tissue constructs comprise:

an extracellular matrix layer; and

cultured fibroblast cells that synthesize and assemble the layer of extracellular matrix in the absence of exogenous matrix components or synthetic members.

- (Cancelled).
- 3. (Previously Presented) The method of claim 1, wherein the extracellular matrix layer further comprises collagen.
 - 4-6. (Cancelled).
- 7. (Previously Presented) The method of claim 1, wherein the cultured connective tissue construct is grafted into the opening in the annulus fibrosis.
- 8. (Previously Presented) The method of claim I, wherein the fibroblast cells are cultured in a chemically defined medium.
- 9. (Previously Presented) The method of claim 1, wherein the connective tissue construct further comprises decorin and glycosaminoglycan.

- 10. (Currently Amended) A method for repairing an intervertebral disc of a patient using a cultured connective tissue construct, comprising:
 - (a) forming at least one opening in the annulus fibrosis of the intervertebral disc;
 - (b) removing at least a portion of the nucleus pulposus through the opening in the annulus fibrosis;
 - (c) inserting at least a first cultured connective tissue construct into the opening of the annulus fibrosis; and
 - (d) grafting at least-a second cultured connective tissue construct to tissue surrounding the opening, the second cultured connective tissue construct closes the opening in the annulus fibrosis, wherein the cultured connective tissue constructs comprise:

an extracellular matrix layer; and

fibroblast cells that are cultured in a chemically defined medium in the absence of exogenous matrix components or synthetic members.

- 11. (Previously Presented) The method of claim 10, wherein the cultured fibroblast cells synthesize and assemble the layer of extracellular matrix in the absence of exogenous matrix components or synthetic members.
- 12. (Previously Presented) The method of claim 10, wherein the cultured connective tissue construct further comprises decorin and glycosaminoglycan.
- 13. (Currently Amended) A method for repairing an intervertebral disc of a patient using a cultured connective tissue construct, comprising:
 - (a) preparing a bioremodelable cultured connective tissue construct that comprises an extracellular matrix layer and cultured fibroblast cells by the method comprising:
 - seeding and culturing fibroblast cells to synthesize an extracellular matrix on a cell culture surface in a medium in the absence of exogenous tissue matrix components or synthetic members;
 - b. inducing the cells to upregulate the synthesis and secretion of extracellular matrix; and
 - c. culturing the cells on the cell culture surface to produce a layer of

extracellular matrix of at least about 30 microns thick comprising extracellular matrix and fibroblast cells;

- (b) forming at least one opening in the annulus fibrosis of the intervertebral disc;
- (c) removing at least a portion of the nucleus pulposus through the opening in the annulus fibrosis;
- (d) inserting at least a first cultured connective tissue construct into the opening of the annulus fibrosis; and
- (e) suturing at least a second cultured connective tissue construct to tissue surrounding the opening, the second cultured connective tissue construct closes the opening in the annulus fibrosis, wherein the cultured connective tissue constructs comprise:

an extracellular matrix layer, and

fibroblast cells that are cultured in a chemically defined medium in the absence of exogenous matrix components or synthetic members.

- 14. (Previously Presented) The method of claim 13, wherein the medium is a chemically defined medium.
- 15. (Previously Presented) The method of claim 13, wherein the cultured connective tissue construct comprises decorin and glycosaminoglycan.
- 16. (Previously Presented) The method of claim 13, wherein inducing the cells to upregulate the synthesis and secretion of extracellular matrix comprises changing the medium to matrix production medium.
- 17. (Previously Presented) The method of claim 13, wherein the cells are seeded directly in matrix production medium that induces the cells to upregulate the synthesis and secretion of extracellular matrix.